

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for P-CYMEN-8-OL

Plant	Part	Low PPM	High PPM	StdDev	Reference
Agathosma betulina	Leaf Essent. Oil				--
Angelica archangelica	Root	1.0	31.0		--
Artemesia capillaris	Essential Oil				--
Artemesia salsolooides	Shoot		3000.0	6.84847488036162	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of Artemesia salsolooides Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
Calamintha nepeta	Shoot		1.0	-0.17036603907271525	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of Calamintha nepeta subsp. glandulosa. J. Ess. Oil Res. 4:189-190
Daucus carota	Seed		9000.0		--
Eucalyptus siderophloia	Shoot		31.0	-0.10015422594066123	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus globulus	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus dolichorhyncha	Leaf		10.0	-0.4115799295959978	Bignell,C.M.,Dunlop,P.J.,Brophy,J. J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus polyanthemos	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus cladocalyx	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus occidentalis	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus maidenii	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus leucoxylon	Leaf		26.0	0.29816013962750704	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus camaldulensis	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus viridis	Leaf		1.0	-0.8108087185342191	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus botryoides	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus astringens	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus porosa	Leaf		10.0	-0.4115799295959978	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus intertexta	Leaf		11.0	-0.36722117526952874	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus largisparsa	Leaf		32.0	0.5643126655863213	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus maculata	Shoot		60.0	-0.03228280657967565	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus stoatei	Leaf		29.0	0.4312364026069142	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus saligna	Shoot		65.0	-0.020580837724333313	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus forrestiana	Leaf		75.0	2.4717391016244905	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus diversicolor	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjlalil, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus paniculata	Shoot		3.0	-0.16568525153057834	Zrira, S. S., Benjlalil, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus angulosa	Leaf		3.5	-0.6999118327180465	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus citriodora	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjlalil, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus moluccana	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjlalil, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus sparsa	Leaf		3.5	-0.6999118327180465	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus fasiculosa	Leaf	0.0	1.3	-0.7975010922362784	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus bridgesiana	Leaf		24.0	0.20944263097456892	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of Eucalyptus bridgesiana Growing in India. Journal of Essential Oil Res. 3: 449-450.
Eucalyptus populnea	Leaf		3.5	-0.6999118327180465	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus bosistoana	Shoot		0.1	-0.17247239346667684	Zirira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus desquamata	Leaf		46.0	1.1853352261568881	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf		2.4	-0.7487064624771625	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus behriana	Leaf		2.7	-0.7353988361792217	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus tetraptera	Leaf		20.0	0.03200761366869271	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus sideroxylon	Shoot		0.1	-0.17247239346667684	Zriria, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus incrassata	Leaf		48.0	1.2740527348098263	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus erythrandra	Leaf		14.0	-0.2341449122901216	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus punctata	Shoot		0.1	-0.17247239346667684	Zriria, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus dealbata	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus oviformis	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus albens	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus melliodora	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus ceratocorys	Leaf		6.0	-0.5890149469018738	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus melanophloia	Leaf		1.0	-0.8108087185342191	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus brassiana	Leaf		2.0	-0.76644996420775	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus blakelyi</i>	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus odorata</i>	Leaf		95.0	3.358914188153872	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance</i> J. 10(6):359-364
<i>Eucalyptus ochrophloia</i>	Leaf		30.0	0.4755951569333832	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance</i> J. 10(6):359-364
<i>Eucalyptus cuprea</i>	Leaf		6.4	-0.5712714451712861	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance</i> J. 10(6):359-364
<i>Eucalyptus tereticornis</i>	Shoot		0.1	-0.17247239346667684	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Juniperus communis</i>	Fruit	1.0	4.0	-1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Lavandula x intermedia</i>	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Leonotis leonurus</i>	Se		1.0		Pedro, L.G., Barroso, J.G., Marques, N.T., Ascensao, L., Pais, M.S.S. and Scheffer, J.J.C. 1991. Composition of the Essential Oil from Sepals of <i>Leonotis leonurus</i> R. Br. <i>J. Ess. Oil Res.</i> 3: 451-3
<i>Magnolia denudata</i>	Flower				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Magnolia denudata	Bulb				--
Magnolia denudata	Leaf				--
Melaleuca alternifolia	Leaf	13.0	32.0	0.5643126655863213	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Melaleuca alternifolia	Essential Oil				--
Mentha spicata	Leaf				--
Micromeria congesta	Leaf	35.0	50.0	1.3627702434627642	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria myrtifolia	Shoot		0.0	-0.17270643284378373	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Monarda fistulosa	Plant	1.0	124.0	1.3313799984996793	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Murraya koenigii	Leaf		0.1	-0.8507315974280412	--
Myristica fragrans	Essential Oil				--
Myrtus communis	Shoot	0.0	1.0	-0.17036603907271525	--
Origanum sipyleum	Shoot		0.2	-0.17223835408957006	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum majorana	Essential Oil		0.0		--
Origanum vulgare	Plant		0.0	-0.8003561253534658	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant		0.0	-0.8003561253534658	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Origanum sipyleum</i>	Shoot		0.0	-0.17270643284378373	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum sipyleum</i>	Shoot		15.0	-0.1376005262777567	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum vulgare</i>	Plant		0.0	-0.8003561253534658	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
<i>Origanum majorana</i>	Plant	8.0	43.0	-0.06112505014632677	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum vulgare</i>	Shoot Essent. Oil		800.0		--
<i>Origanum sipyleum</i>	Shoot		15.0	-0.1376005262777567	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum vulgare</i>	Plant		25.0	-0.3705706165121059	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
<i>Pimenta racemosa</i>	Leaf	0.0	18.0	-0.05670989498424539	--
<i>Pimenta dioica</i>	Leaf		13.0	-0.27850366661659065	--
<i>Pimenta dioica</i>	Fruit		18.0	1.0	--
<i>Piper nigrum</i>	Fruit Essent. Oil				--
<i>Rosmarinus officinalis</i>	Plant	1.0	5.0	-0.7143990235851938	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Salvia officinalis</i>	Plant				--
<i>Satureja obovata</i>	Leaf				Arrebara, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . Phytochemistry 35(1): 83.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Satureja cilicica</i>	Shoot		12.0	-0.1446217075909621	Tumen, G., Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of <i>Satureja cilicica</i> P.H. Davis. J. Ess. Oil Res. 5: 547-548.
<i>Satureja obovata</i>	Leaf				Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . Phytochemistry 35(1): 83.
<i>Satureja obovata</i>	Leaf				Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . Phytochemistry 35(1): 83.
<i>Satureja obovata</i>	Leaf		0.01	-0.8547238853174234	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . Phytochemistry 35(1): 83.
<i>Satureja cuneifolia</i>	Shoot		60.0	-0.03228280657967565	Tumen, G. 1991. The Volatile Constituents of <i>Satureja cuneifolia</i> . J. Ess. Oil Res., 3: 365-366.
<i>Sideritis athoa</i>	Shoot		0.8	-0.17083411782692892	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of <i>Sideritis athoa</i> Papanikolaou Et Kokkini. J. Ess. Oil Res. 5: 669-670.
<i>Teucrium gnaphalodes</i>	Shoot		22.0	-0.12121776988027744	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. J. Ess. Oil Res. 5: 397-402.
<i>Teucrium polium</i>	Shoot		10.0	-0.14930249513309904	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. J. Ess. Oil Res. 5: 397-402.
<i>Thymus funkii</i>	Shoot		8.0	-0.15398328267523598	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. Flav. & Fragr. J. 10(6): 379-383.
<i>Thymus zygis</i>	Shoot		55.0	-0.04398477543501799	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. <i>Thymus zygis</i> Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Thymus longicaulis</i>	Shoot		0.0	-0.17270643284378373	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus riatarum</i>	Shoot		50.0	-0.05568674429036033	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and II Idrissi, A. 1991. Analysis of the Essential Oil of <i>Thymus riatarum</i> . <i>J. Ess. Oil Res.</i> 3: 43-4.
<i>Thymus capitatus</i>	Plant	1.0	50.0	0.059214892329254004	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus vulgaris</i>	Essential Oil				--
<i>Thymus funkii</i>	Shoot		8.0	-0.15398328267523598	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus longicaulis</i>	Shoot		0.0	-0.17270643284378373	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus cilicicus</i>	Shoot		38.0	-0.08377146954318195	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. <i>J. Ess. Oil Res.</i> 6: 97-8.
<i>Thymus vulgaris</i>	Plant				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Thymus zygis</i>	Shoot		55.0	-0.04398477543501799	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. <i>Thymus zygis</i> Oil: Its Effects on CCl ₄ -Induced Hepatotoxicity and Free Radical Scavenger Activity. <i>JEO5</i> : 153-8.
<i>Thymus longicaulis</i>	Shoot		0.0	-0.17270643284378373	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Thymus saturejoides</i>	Shoot		0.1	-0.17247239346667684	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus broussonettii</i>	Shoot		30.0	-0.10249461971172968	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus serpyllum</i>	Plant	10.0	172.0	2.1565681754750905	--
<i>Vitex agnus-castus</i>	Leaf		0.5	-0.8329880956974537	Ekundayo, O., Laakso, I., Holopainen, M., Hiltunen, R., Oguntiemein, B., and Kauppinen, V. 1990. The Chemical Composition and Antimicrobial Activity of the Leaf Oil of <i>Vitex agnus-castus</i> L. <i>J. Essential Oil Research</i> , 2: 115-119.
<i>Zingiber officinale</i>	Rhizome	0.5	35.0		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Zingiber officinale</i>	Rhizome Essent. Oil		700.0		--